



***CLINICAL  
CENTER***  
NIH DESIGN POLICY  
AND GUIDELINES



# *CLINICAL CENTER*

## NIH DESIGN POLICY AND GUIDELINES

### **Administration**

**Stephan A. Ficca**

Associate Director for Research Services

**F. Anthony Clifford**

Acting Director for Division of Engineering Services

**John J. Pallas, P.E.**

Past Assistant Director for Design and Construction Branch  
Division of Engineering Services

**George B. Williams, P.E.**

Division of Engineering Services

**Rassa Davoodpour**

Principal Mechanical Engineer, Project Director,  
Design and Construction Branch,  
Division of Engineering Services



# *Clinical Center*

*NIH Design Policy and Guidelines*

# ***Preface***

The National Institutes of Health (NIH), an agency of the United States federal government, is dedicated to advancements in biomedical research to further knowledge about the cure and prevention of human disease. The organizational components of NIH are referred to as Institutes, Centers or Divisions (ICD). These ICDs conduct their biomedical research programs primarily at the NIH Bethesda, Maryland campus. The Office of Management has within its organization divisions that provide expertise in planning, design, architecture, engineering, construction, maintenance, safety, security, procurement, logistics, and contracts for the maintenance, renovations, and construction of new facilities. The Design and Construction Branch (DCB) of the Division of Engineering Services (DES) is responsible for the design and construction of facilities at the NIH.

The DES, along with selected consultants, was tasked with the responsibility of reviewing existing biomedical facility guidelines and related studies and creating a new set of guidelines for the NIH which would reflect the latest developments in facility planning and operation technology. Within the Office of Director, NIH, the Office of Management (OM) is the organization component that handles planning, architectural/engineering design, construction, maintenance, safety, security, procurement, logistics, and renovations at NIH.

Committees covering the disciplines of architecture, structure, mechanical systems, electrical systems, plumbing, fire protection, controls, civil and environmental matters met over an 8-month period to merge, edit, and create documents from various sources. The primary sources of information were the Generic Technical Criteria document (developed as part of the Program of Requirements for the Clinical Center Complex Renewal Program and formulated by the DES Special Project Office), the original Design Policy and Guidelines (the "Rosebook," developed by the DES Facilities and Planning Branch), and the Design Guidelines (developed by the DES Facilities Planning Office).

In conjunction with these new guidelines, the NIH Architectural/Engineering Checklist and Standard Details have been developed. The NIH Design Policy and Guidelines consists of Text Volumes identified by building type, Data Sheets specific to space or activity functions, Guideplates suggesting functional groupings, and Reference Materials pertinent to the federal biomedical, vivarium, and research hospital facilities. This collective information must be incorporated into the basis of design for all new construction and renovation projects at NIH.



# ***Introduction***

The new NIH Design and Policy Guidelines have been developed to provide minimum criteria to assist architects, planners, and engineers in the process of designing research, vivarium, and clinical center facilities for the NIH. These guidelines establish basic parameters only and are not meant to be restrictive. The NIH recognizes that an essential aspect of the design professional's responsibility is originality and imaginative design.

The NIH requires that all projects be planned and designed using a total environmental approach, including attention to site, structure, massing, circulation, visual harmony, and open areas. The combination of these relationships creates a product that is both functional and aesthetic. The architect/engineer must adapt these criteria to meet needs requested by users or imposed by specific site conditions or functional relationships. It is extremely important to recognize that the user is an essential part of this process and is integral to its success.

It is assumed that the selected architect/engineer and his or her consultants will be professionals knowledgeable in the design of these types of facilities. They will be required to assure that each specific project complies with all established codes, regulations, and current practices. These guidelines do not relieve the architect/engineer of their responsibilities as design professionals. Rather, they are intended to supplement the design process and to consolidate established policies and guidelines developed at the NIH based on operational experience. These guidelines have been devised to assist with establishing greater consistency among the facilities as well as offering the Architect/Engineer assistance with designing to NIH preferences.

The structure of the Design Policy and Guidelines is based on facility type and has been separated into four volumes of information as follows:

- Research Laboratory Design Policy and Guidelines
- Vivarium Design Policy and Guidelines
- Clinical Center Design Policy and Guidelines
- Reference Material for the Design Policy and Guidelines

The Clinical Center Design Policy and Guidelines refer specifically to the NIH Clinical Center research hospital located on the Bethesda campus. This facility is the primary focus of the NIH and houses many laboratory, vivarium and administrative areas in addition to the hospital function.



# ***Use of the Guidelines***

These guidelines define minimum standards by which architects and engineers shall design facilities on the NIH intramural campuses. These campus areas include the Main NIH Campus in Bethesda, the NIH Animal Center in Poolesville, the NIEHS Campus in North Carolina, and the Rocky Mountain Laboratory Campus in Montana. The Research Laboratory and Vivarium volumes are to be used for both new construction and renovation. The Clinical Center volume is to be used only for renovations of the existing Clinical Center.

These volumes of the guidelines have been organized into sections from general to specific requirements as follows:

- A. Introduction
- B. Planning Goals and Objectives
- C. Space Descriptions
- D. Design Criteria
- E. Room Data Sheets
- F. Appendix

Sections A. through D. provide the basic policy and guidelines in text format. Section E., the Room Data Sheets section, provides detailed data requirements for all types of spaces associated with research, vivarium and the Clinical Center. Section F, Appendix, lists the acronyms, units of measure associated with the document, and the committees, contributors, and founders that were instrumental in creating the guidelines.

The final volume collects all relevant reference material or describes reference material required for the design and construction of all types of NIH facilities. Included in this volume is the A/E Checklist, which lists the services that may be required by phase for projects at NIH.

The primary focus of these guidelines is to assist in standardizing the design approach to new and existing facilities on the Bethesda campus. The Clinical Center volume is based solely on the Clinical Center and its existing functions and spaces.

This document is intended to be used by all divisions within the Office of Research Services, primarily the branches and offices of the Division of Engineering Services.



# Table of Contents

	Page No.
<b>Preface</b>	
Preface	i
Introduction	ii
Use of the Guidelines	iii
<b>A. Introduction</b>	
<b>A.1 Facility</b>	1
<b>A.2 Patients</b>	2
<b>A.3 Organization</b>	3
A.3.1 Inpatient Services	3
A.3.2 Outpatient Services	3
A.3.3 Diagnostic and Treatment Services (D & T)	3
A.3.4 Ancillary/Support Services	3
A.3.5 Administrative Services	4
A.3.6 Other	4
<b>B. Planning Goals and Objectives</b>	
<b>B.1 Quality of Life</b>	2
B.1.1 Scale of Space	2
B.1.2 Clarity of Circulation/Ease of Wayfinding	2
B.1.3 Noninstitutional Appearances	2
B.1.4 Colors and Materials	3
B.1.5 Acoustic Levels	3
B.1.6 Graphics/Signage	4
B.1.7 Artwork	5
B.1.8 Other Amenities	5
B.1.9 Infrastructure Support	5
<b>B.2 Functional Criteria</b>	6
B.2.1 Smoke Zones	6
B.2.2 Floor-to-Floor Height	6
B.2.3 Handicapped Accessibility	6
B.2.4 Circulation Design	6
B.2.5 Accommodation of Medical Equipment	7
<b>B.3 Flexibility and Adaptability</b>	9
<b>B.4 Planning Module</b>	11



<b>B.5</b>	<b>Zoning and Circulation</b>	12
------------	-------------------------------	----

## **C. Space Descriptions**

<b>C.1</b>	<b>PCUs</b>	1
C.1.1	Intensive Care Units (ICUs)	1
C.1.2	Stepdown Beds	2
C.1.3	Patient Care Units (PCUs)	2
C.1.4	Mental Health Patient Care Units (MHPCUs)	4
C.1.5	Pediatric Patient Care Units (PPCUs)	5
<b>C.2</b>	<b>Clinics</b>	6
<b>C.3</b>	<b>Diagnostic and Treatment Services</b>	7
<b>C.4</b>	<b>Administration Areas</b>	8
<b>C.5</b>	<b>Public and Educational Areas</b>	9
<b>C.6</b>	<b>Support Services</b>	10

## **D. Design Criteria**

<b>D.1</b>	<b>Designing in the Existing Facility</b>	3
<b>D.2</b>	<b>Architectural Finishes and Materials</b>	4
D.2.1	Floors	4
D.2.2	Walls	4
D.2.3	Ceilings and Lighting Fixtures	6
D.2.4	Windows and Window Materials	7
D.2.5	Doors	7
D.2.6	Door Hardware	8
<b>D.3</b>	<b>Furniture and Equipment</b>	10
D.3.1	Equipment, Fixed Equipment, Medical Equipment	10
D.3.2	Furnishings	11
D.3.3	Casework	11
D.3.4	Window Treatments	12
D.3.5	Systems Furniture	12





<b>D.4</b>	<b>Structural</b>	14
D.4.1	Vibration	14
D.4.2	Module/Bay Size	15
D.4.3	Floor Slab Depressions	15
D.4.4	Equipment Pathway	15
<b>D.5</b>	<b>Heating, Ventilation, and Air Conditioning</b>	16
D.5.1	Building Design Considerations	16
D.5.2	Energy Conservation	16
D.5.3	Systems Economic Analysis	17
D.5.4	Outdoor Design Conditions for the NIH, Bethesda	17
D.5.5	Hospitals Indoor Design Criteria	18
D.5.6	Air Quality	20
D.5.7	Air Movement	23
D.5.8	Air Pressure Relationships	24
D.5.9	Ventilation Rates	25
D.5.10	Heating and Cooling Load Calculations	30
D.5.11	Building Solar and Conduction Loads	31
D.5.12	Lighting Loads	31
D.5.13	Occupancy Loads	32
D.5.14	Equipment Loads	32
<b>D.6</b>	<b>Plumbing</b>	34
<b>D.7</b>	<b>Electrical</b>	35
D.7.1	Normal Power	35
D.7.2.	Emergency Power	36
D.7.3	Lighting	37
D.7.4	Nurse Call	38
D.7.5	Paging	38
D.7.6	MATV	38
D.7.7	CATV	39
<b>D.8</b>	<b>General Health and Safety</b>	40
D.8.1	Chemical Hazards	40
<b>D.9</b>	<b>Biological Hazard Safety</b>	42
D.9.1	Hospital Laboratories	42
D.9.2	Patient Care Areas	42
<b>D.10</b>	<b>Radiation Safety</b>	45
D.10.1	Background	45
D.10.2	Specific Areas of Concern	45
D.10.3	Radioactive Waste Storage	46
D.10.4	Module Requirements	49



D.10.5	Clearance for Renovation/Remodeling	49
D.10.6	Radioactive Airborne and Liquid Effluent Discharges	50
D.10.7	Vacuum Systems	52
D.10.8	Irradiators Utilized in Medical Research	52
D.10.9	Radiation-Producing Equipment and/or Machines	53
D.10.10	Non-Ionizing Radiation	54
<b>D.11</b>	<b>Environmental Management</b>	56
D.11.1	Background	56
D.11.2	Hazardous Substance Storage and Handling	57
D.11.3	Hazardous Substances Storage	58
D.11.4	Bulk Storage Facilities	62
D.11.5	Wastewater	63
D.11.6	Wastewater Treatment	64
D.11.7	Solid Waste	65
<b>D.12</b>	<b>Fire Safety/Fire Protection</b>	75
<b>D.13</b>	<b>Pest Management</b>	78
<b>E.</b>	<b>Room Data Sheets</b>	
<b>E.1</b>	<b>Clinical Center Room Data Sheets Table of Contents</b>	1
<b>E.2</b>	<b>General</b>	2
CC.1	One Bedroom with Patient Toilet	3
CC.2	Accessible One Bedroom with Patient Toilet	7
CC.3	Accessible Isolation Bedroom with Patient Toilet and Anteroom	11
CC.4	Two Bedroom with Patient Toilet	15
CC.5	Seclusion Room with Patient Toilet and Anteroom	19
CC.6	ICU Room	22
CC.7	ICU Isolation Room with Anteroom	25
CC.8	Accessible Day Hospital 2 or 5 Patient Room with Patient Toilet	28
CC.9	Tub and Shower Room	31
CC.10	Medication Room	33
CC.11	Clean Utility Room	35
CC.12	Soiled Utility Room	38
CC.13	Chute Room	41
CC.14	Housekeeping Room	43
CC.15	Nourishment Station	45



CC.16	Treatment Room	47
CC.17	Doctor's Office	49
CC.18	Conference Room	51
CC.19	Staff Lounge with Toilet Room	53
CC.20	Patient Lounge	55

## **F. Appendix**

<b>F.1</b>	<b>Acronym List for NIH Design Policy and Guidelines</b>	<b>1</b>
<b>F.2</b>	<b>Units of Measure</b>	<b>4</b>
<b>F.3</b>	<b>Committees, Contributors, Founders</b>	<b>5</b>
F.3.1	Architectural - Ad Hoc Committee	6
F.3.2	Structural - Ad Hoc Committee	7
F.3.3	Mechanical - Ad Hoc Committee	8
F.3.4	Electrical - Ad Hoc Committee	9
F.3.5	Plumbing - Ad Hoc Committee	10
F.3.6	Fire Protection - Ad Hoc Committee	11
F.3.7	Controls - Ad Hoc Committee	12
F.3.8	Environmental - Ad Hoc Committee	13
F.3.9	Civil - Ad Hoc Committee	14
F.3.10	Standard Detail - Ad Hoc Committee	15
F.3.11	A/E Checklist - Ad Hoc Committee	16
F.3.12	Style and Format - Ad Hoc Committee	17
F.3.13	Contributors	18
F.3.14	Founders	19

